




DL-Podium systems



dldh.hu



dldh.hu/webshop



[Direct Line Kft](#)




[DirectLine1](#)

Direct-Line Ltd.
H-2330-Dunaharaszti
Jedlik Ányos str. 14.
E-mail: info@dldh.hu
Homepage: www.dldh.hu

Single-leg DL-platform

The single-leg DL-platform developed and manufactured by Direct-Line Ltd. provides appropriate space for the loading process of road and rail tankers with DL-loading arms according to safety regulations of the corresponding field of application.



Main features of the standard layout:

- carbon steel layout, painted grey
- column painted for accident prevention
- walking surface and steps of hot-dip galvanized carbon steel with anti-slip protection
- anti-exit railings
- concreted basis



Options

- roof construction
- mounting platform for receiving other folding stairs models
- rail structure for moving folding stairs sideways
- connecting bridges between two platforms




Platform dimensions (mm)	
Total width of DL-platform	5904
Total height of DL-platform	4590
Height of walking surface	3600
Area of walking surface	1700x1700
Overhang of stairway	5050
Width of stairway	800
Depth of stair	240
Height of safety railing	990

Podium- systems

Modular system!

With the connection of more single-leg DL-platforms by bridge elements, modular and multi-functional platform systems of arbitrary layout in length and width can be built.



Besides modular DL-podium systems we also manufacture unique podium structures upon request! Contact our experts!



dldh.hu



dldh.hu/webshop



Direct Line Kft



DirectLine1

Direct-Line Ltd.

H-2330-Dunaharaszti
Jedlik Ányos str. 14.

E-mail: info@dldh.hu

Homepage: www.dldh.hu